






Ulica Rista Lekica D-11 85000 Bar  
Ziro Racun: 510-75854-40 CKB Banka  
Pib: 02955580, PDV: 80/31-02816-8










Tel: 069/583-222  
068/583-222  
067/583-222





Email: honel.electronic@gmail.com  
info@honel-electronic.com  
Web: www.honel-electronic.com

## CJENOVNIK

### ANALOGNI VIDEO NADZOR

Naziv	Foto	Karakteristike	Cijena
<p>DVR 16 kanala I-APOHVRTIO-16 QVIS®</p>		<ul style="list-style-type: none"> <li>• 16 channel simultaneous playback R Full D1 recordings 25FP per channel</li> <li>• 960H recordings</li> <li>• 16 cameras with 1080p real time display</li> <li>• Industry leading GUI</li> <li>• Simple timeline on playback</li> <li>• Email maintenance trigger</li> <li>• PTZ control</li> <li>• Bidirectional audio</li> <li>• HDMI + VGA + BNC outputs</li> <li>• 16chn Alarm inputs 1chn outputs</li> <li>• Easy Backup - USB device and network download</li> <li>• Email snapshot on motion trigger</li> <li>• Dual Core Processor</li> <li>• H.624 dual-stream video compression</li> <li>• Support 1 SATA HDD</li> <li>• Mini 1U case</li> </ul>	246
<p>DVR 8 kanala I-APOHVRTIO-8 QVIS®</p>		<ul style="list-style-type: none"> <li>• 8 channel simultaneous playback R Full D1 recordings 25FP per channel</li> <li>• 960H recordings</li> <li>• 8 cameras with 1080p real time display</li> <li>• Industry leading GUI</li> <li>• Simple timeline on playback</li> <li>• Email maintenance trigger</li> <li>• PTZ control</li> <li>• Bidirectional audio</li> <li>• HDMI + VGA + BNC outputs</li> <li>• 8chn Alarm inputs 3chn outputs</li> <li>• Easy Backup - USB device and network download</li> <li>• Email snapshot on motion trigger</li> <li>• Dual Core Processor</li> <li>• H.624 dual-stream video compression</li> <li>• Support 1 SATA HDD</li> <li>• Mini 1U Case</li> </ul>	154
<p>DVR 4 kanala I-APOHVRTIO-4 QVIS®</p>		<ul style="list-style-type: none"> <li>• 4 channel simultaneous playback R Full D1 recordings 25FP per channel</li> <li>• 960H recordings</li> <li>• 16 cameras with 1080p real time display</li> <li>• Industry leading GUI</li> <li>• Simple timeline on playback</li> <li>• Email maintenance trigger</li> <li>• PTZ control</li> <li>• Bidirectional audio</li> <li>• HDMI + VGA + BNC outputs</li> <li>• 4chn Alarm inputs 1chn outputs</li> <li>• Easy Backup - USB device and network download</li> <li>• Email snapshot on motion trigger</li> <li>• Dual Core Processor</li> <li>• H.624 dual-stream video compression</li> <li>• Support 1 SATA HDD</li> <li>• Mini 1U case</li> </ul>	119
<p>DVR 8 kanala ATL-IO-8 QVIS®</p>		<ul style="list-style-type: none"> <li>• Remote viewing • Timeline Playback • 4Chn Audio input • H.264 video compression • Pentaplex function • Easy backup • Motion Alarm triggering • WIFI • 1 Sata HDD • PSS compatible • GUI on screen tips • 1x HDMI, 1x VGA • PTZ control • Bi-directional talk</li> <li>• 8 Channel DVR - 12FPS on 1 channel, 6FPS on all other channels • up to 2TB • 8 x D1</li> </ul>	154
<p>DVR 16 kanala ATL-IO-16 QVIS®</p>		<ul style="list-style-type: none"> <li>• Remote viewing • Timeline Playback • 4Chn Audio input • H.264 video compression • Pentaplex function • Easy backup • Motion Alarm triggering • WIFI • 1 Sata HDD • PSS compatible • GUI on screen tips • 1x HDMI, 1x VGA • PTZ control • Bi-directional talk</li> <li>• 16 Channel DVR - 12FPS on 1 channel, 6FPS on all other channels • up to 2TB • 16 x D1</li> </ul>	218

<p><b>Kamera</b> <b>EYE-E37-V2G</b> QVIS®</p>		<ul style="list-style-type: none"> <li>• Effio Eyeball Dome 650TVL</li> <li>• 2.8-12mm Varifocal Lens</li> <li>• 36pc IR Leds</li> <li>• Le Hatch</li> <li>• Internal/External</li> <li>• Privacy Masking</li> <li>• Color/Mono</li> <li>• Armored Housing</li> <li>• 3-Axis Gimble</li> <li>• Dual ring design (No IR reflection)</li> <li>• Day and Night</li> <li>• Sony Effio-E DSP</li> <li>• HLC - High Light Compensation</li> <li>• 2D Noise Reduction</li> <li>• IP Rating IP66</li> </ul>	<p><b>66</b></p>
<p><b>Kamera</b> <b>EYE-E37-V2W</b> QVIS®</p>		<ul style="list-style-type: none"> <li>• P400-E37-VG40</li> <li>• ENHANCED EFFIO-E DSP</li> <li>• 2.8-12mm Korean Varifocal Lens,</li> <li>• 650TVL, 0 LUX,</li> <li>• 48pcs IR Leds,</li> <li>• IR Range 40-50m</li> <li>• Intelligent IR Led exposure</li> <li>• IP66</li> <li>• Cable Managed Bracket</li> <li>• ATR (Adaptive Tone Reproduction)</li> <li>• External Zoom and Focus</li> <li>• Sun Shield</li> <li>• 40-50m IR Range</li> <li>• Day/Night Operation</li> <li>• Back Light Compensation</li> <li>• IR Corrective Lens</li> <li>• Auto Level Control</li> <li>• Dynamic Noise Reduction</li> </ul>	<p><b>66</b></p>
<p><b>Kamera</b> <b>P400-E37-VG40</b> QVIS®</p>		<ul style="list-style-type: none"> <li>• Cmos</li> <li>• Lens: 4.2mm pinhole</li> <li>• IR Leds: 18pcs</li> <li>• Power supply: 12VDC</li> <li>• Resolution: 600TVL</li> <li>• Dims: 60x60x103mm</li> <li>• IP rating: IP66</li> </ul>	<p><b>80</b></p>
<p><b>Kamera</b> <b>(oblik senzora)</b> <b>PIR-102HIRWH-AF</b> QVIS®</p>		<ul style="list-style-type: none"> <li>• Image Sensor: 1/3" Sony Exmor Digital Image Sensor IMX238</li> <li>• Cmos</li> <li>• Lens: 3.6mm</li> <li>• IR Leds: 24pcs</li> <li>• IR Range: 20-25m</li> <li>• Power supply: 12VDC</li> <li>• Resolution: 600TVL</li> <li>• Dims: 160x58x56mm</li> <li>• IP rating: IP66</li> </ul>	<p><b>102</b></p>
<p><b>Kamera</b> <b>MP40-600-FW</b> QVIS®</p>		<ul style="list-style-type: none"> <li>• CCD: 1/3" 960H Exview HAD II</li> <li>• DSP: Effio-E</li> <li>• Lens: 2.8-12mm</li> <li>• IR Leds: 24pcs</li> <li>• IR Range: 20-25m</li> <li>• Power supply: 12VDC</li> <li>• Resolution: 700TVL</li> <li>• Dims: 118x80mm</li> <li>• IP rating: IP66</li> </ul>	<p><b>45</b></p>
<p><b>Kamera</b> <b>INT-E37-V2IRW</b> QVIS®</p>		<p>1/3" Sony 811/810AK CCD + Sony Sony Effio E Enhanced DSP(4140), 700TVL, 72pcs φ5mm IR leds, 2M 2.8-12mm AI without ICR, PAL</p>	<p><b>66</b></p>
<p><b>Kamera</b> <b>IRV-960</b> CAMSTAR</p>		<p>1/3" Sony 811 CCD + SONY EFFIO E 4140 DSP, 700TVL, 42pcs φ5mm IR leds, OSD, DC12V, 2M 2.8-12mm AI VARIFOCALLENS , PAL</p>	<p><b>115</b></p>
<p><b>Kamera</b> <b>IRV-950</b> CAMSTAR</p>		<p>1/3" Sony 663AK CCD + Sony Effio-P 4129 DSP, 700TVL, 42pcs φ5mm IR leds, OSD, DC12V, 2M 2.8-12mm AI VARIFOCALLENS with ICR, PAL, WDR</p>	<p><b>90</b></p>
<p><b>Kamera</b> <b>IRV-970</b> CAMSTAR</p>		<p>1/3" Sony 663AK CCD + Sony Effio-P 4129 DSP, 700TVL, 42pcs φ5mm IR leds, OSD, DC12V, 2M 2.8-12mm AI VARIFOCALLENS with ICR, PAL, WDR</p>	<p><b>137</b></p>

<b>Kamera</b> <b>IRD-961/W</b> 		CMOS 1099; 60H; 800TVL; no OSD23pcs φ5mm IR LED, with ICR filter, 3.6mm lens, DC12V WITH IR	<b>35</b>
<b>Kamera</b> <b>IRD-951/W</b> 		3" Sony 811, EFFIO-E , UTC 2.8 MM Lens	<b>49</b>